


Fistreem Pre-Treatment Kit

For Fistreem Cyclon and Calypso Water Stills



FISTREEM™

Pre-Treatment Kit

A low cost means of supplying pre-treated (deionised) water to Cyclon and Calypso Water Stills. The pressure resistant cartridge is ideal for in-line applications. Installed in moments, the deioniser cartridge is easily replaced when exhausted. The cartridge is secured in a convenient and easy to use wall mounting bracket.

The Fistreem Puri-Fi Disposable Deioniser contains high quality ion exchange resin. Water purity is indicated by resin colour change at two exhaustion 'windows' in the cartridge casing (1 & 10 μ S cm conductivity). Incorporates a 50 micron filter to remove particulates.

The smart plastic moulded Wall Bracket is easily mounted on the wall at a convenient location. It is supplied complete with a water flow isolating valve and suitable pressure hose with fittings.



Specification and Ordering Information

Catalogue No.	Description
WSC905.PTK.5	Pre-Treatment Kit for Fistreem Cyclon / Calypso Water Still comprising; 2 x DCF-720-S Fistreem Puri-Fi Disposable Resin Colour Change Deionisers, Wall Mounting Bracket, Pressure Hose Plus Fittings and Water Flow Valve.

Accessories

Catalogue Number	Description	Flow Rate Max	Dimensions (mm)
DCF-738-500M	Pressure hose fittings and flow valve	-	180 W x 90 D x 500 H
DCF-738-502Y	Wall mounting bracket with hose fittings and flow valve (suitable for standard life cartridges only)	30 lt/hr	77 Diam x 390 Length



Fistreem International Limited:

Beacon House,
Nuffield Road,
Cambridge,
CB4 1TF,
UK

Telephone: +44 (0)1223 727100
Fax: +44 (0)1223 727101
Email: sales@fistreem.co.uk

Website: www.fistreeminternational.com

Please refer to
www.fistreeminternational.com for all
ordering information.

